



PeopleLink Interactive Display T65 Plus

Redefine Smarter Collaboration with PeopleLink Interactive Display T65

Let the versatile 4K UHD interactive display bring more collaboration and student engagement to your classroom. Turn the display into digital whiteboard, share files in one touch, and use your favorite software all with your fingers and the press of a button. PeopleLink T65 Plus Interactive display works in your world and lets you interact your way.

- **Superior Touch Experience**

With PeopleLink T65 Plus state-of-the-art touch technology, users can annotate with a writing stylus or fingers, which is as natural as writing on papers.

- **Interaction made easy.**

PeopleLink T65 Plus Interactive display brings efficiency to your classes and teams so you can interact with ease, anytime. With a lightweight slim frame design, Windows system and built-in OS support, embedded tools and a personalized user interface, it's the perfect solution to seamless collaboration in school and in the office.

- **Interact with the whole group**

PeopleLink T65 Plus Interactive display series supports up to 20 points of touch, allowing multiple users to interact at the same time. With smooth and responsive touch, anyone can take notes, write and draw on the screen, making the classroom a truly collaborative space.

- **Customize the interface to meet your needs**

Whether you need a display for your classroom or conference room, the PeopleLink T65 Plus Interactive display lets you easily change the screen theme and personalize the user interface on your built-in operating system. Keep the home screen simple while giving your team quick access to any tools they might need.

Product Features

- Stunning 4K UHD resolution redefines clarity
- High accuracy touch screen.
- support 1 point 2mm precision writing and 6 points 3mm simultaneous writing
- Writing height below 2mm to bring smoother writing experience
- All-channel annotating,
- built-in Android writing software
- Public USB port auto switch
- Smart sidebar menu
- Antenna hidden inside (Optional)
- All channel can be loop-outed by HDMI (Optional)
- Screen lock (Optional)
- Supports Bluetooth Connectivity
- Supports Wifi Connectivity

Product Specifications

Panel

Display Size	: 65 inch
Display Panel Diagonal	: 1651mm
Panel type	: IPS Ultra HD
Backlight type	: D-LED
Panel Resolution	: 3840x2160(pixels)
Screen Orientation	: Landscape / Portrait
Brightness	: 350cd/m ² (typ.)
Contrast Ratio(typ)	: 1200:1
Response Time(ms)	: 5ms
Pixel Pitch	: 0.372(H)x0.372(V)
Aspect Ratio	: 16:9
Frame rate	: 60Hz
View angle	: 178°(H) / 178°(V)
Life Time	: 30,000 hrs
Width of The Effective Display Area of The Panel	: 1498mm
Height of The Effective Display Area of The Panel	: 918mm
Display Colors	: 1.07 Billion
(Color Gamut)(X% NTSC)	: 68%

Product Specifications

Touch System

Touch technology	: Advanced Infra-red
Touch precision	: 32768*32768
Number of touch points	: 20 Points
Surface Protection	: 4mm Toughened Glass,
Anti-glare AG	: high transparent+ smoother
Minimum Touch Object	: ≥1.6mm(Single touch ≥1.6mm), ≥3mm(Multiple touch ≥3mm)
Glass Transmission	: >92%
Touch Accuracy	: ±1mm
Response Time	: ≤10ms
Touch Interface	: FINGER & STYLUS
No of Stylus or Electronic Pens Supplied	: 3
Theory Clicks	: Unlimited
Output Mode	: HID Standard
Windows 10/8/7,Android	: Multiple Touch
Windows XP,Linux,Mac OS X,Chrome	: Single Touch

Touch Frame Electrical Characteristics

Connect type	: Male USB2.0
Communication type	: USB2.0 Full speed
Power supply	: USB power
Voltage	: DC+5V±5%
Power Consumption	: ≤2W

Mother board

Solution	: MSD8386
CPU	: ARM A73+A53
Working Frequency	: 1.5GHz
Core	: Quad Core
GPU	: MaliG51
RAM	: 2GB/3GB DDR
ROM	: 16GB : 32GB (Optional)
OS	: Android 8.0

Product Specifications

Support operating system

Built-in system : Android
 OPS system : Windows 7/8/10 (Optional)

Compatible system

Compatible system : Windows 7/8/10 ,XP ,Linux,MAC OS, Android

Softwares Provided

: WRITING SOFTWARE & SCREEN SHARNG SOFTWARE

Special Features

Versatile Annotate : Yes (all pages)
 screenshot : Yes
 Gesture Eraser : Yes
 Smart Writing Appapp : Yes
 File Manager : Yes
 Vote : Yes
 Welcome page : Yes
 Miracast both for Android and iPhone,MAC,Windows : Yes
 Surround the stereo sound : Yes
 Support HTML 5 Browser,HTML5 : Yes
 Support Local/Online Video : 1080P/3840*2160
 Support Local/Online Music : Yes

Language

OSD Standard : English / Chinese
 OSD Optional : Other 20 languages

Ports

Input HDMI ports : 2	Audio Input Ports : 1
USB 2.0 ports : 1	Audio Output Ports : 1
USB 3.0 ports : 4	RS-232 C ports : 1
RJ 45 ports : 2	VGA-IN ports : 1

Power

Power Requirements : AC 100 V ~ 240 V
 Power Consumption Without OPS : 240W
 Standby (Watt) : <0.5W
 OPS Power : DC 18V/5A
 Speaker Audio Out Power : 2x20W/8Ω

Product Specifications

Environment

Working Temperature	: 0°C ~ + 50°C
Storage Temperature	: - 10°C ~ + 60°C
Working Humidity	: 10% ~ 90% RH Non-Condensing
Storage Humidity	: 10% ~ 60% RH Non-Condensing
Operating altitude	: ≤5000m
Image mode	: Standard/Soft/Users/Bright
MAX working time (Hour/Day)	: 18/7

Structure

Product Size (mm) (W x D x H)	: 1506.3*96.1*901.3mm
Package Size (mm) (W x D x H)	: 1660*245*1045mm
N.W	: 42Kg±1.5Kg
G.W	: 57Kg±1.5Kg
Case Material	: Aluminum/Metal plate
Housing color	: Black
Provision for Wall Mounting	: YES
VESA	: 4-M8 Screw hole 600mm*400mm
Precise LCD Diagonal Size	: 64.53"
BIS Registration under CRS of Meity	: Yes

Warrenty

1 Year On Site OEM Warranty

*OPS System (Optional)

OPS Module

: OPS System is not part of a Standard bundle. OPS System comes in i3/i5 with Windows 7/8/10 as an optional module.

* Price for OPS optional module is varies depending on the system configuration. Contact us for OPS Module pricing.

Accessories

Contents

: Remote Control *1, Power Cord (3M) *1, USB Cable (3M) *1, HDMI Cable (3M) *1, Touch Pen *3, Qualified Lable *1, User Manual *1, Warranty Card *1, Wall Mount *1, Removable Base Stand (Optional) *1

Ordering Information

PeopleLink Interactive Display T65 Plus : PDS-ICB-4K-T65+

GLOBAL HEADQUARTERS

Q3-A3, 10th Floor, Cyber Towers, Hitech City,
Madhapur, Hyderabad - 500 081 (India)
Phone: +91 (40) 66903959 / 60
Email: vc@peoplelinkvc.com

INTERNATIONAL CONTACT NUMBERS

USA : +1-321-2163070
UK : +44-20-35190197

Africa : +27-10-5001977
Australia: +61-29-0988367

Canada : +1-647-4964195
Middle East : +973-1-6199342

Follow us:       www.peoplelinkvc.com/social-presence

DISCLAIMER: PeopleLink Unified Communications Pvt. Ltd., All rights reserved. All third party trademarks/ products mentioned (if any) are the property of their respective owners. Product Images are for illustration purpose only. Actual product may vary due to product enhancements. All specifications are subject to change without notice; system specifics may vary.

PeopleLink Public Document | PeopleLink Unified Communications Pvt. Ltd. | ISO 9001:2015 & ISO/IEC 27001:2013 Certified Company.