



## PeopleLink Interact 21 M (21.5" Inch Touch Monitor)

The PeopleLink Interact 21M is a touchscreen display with Full HD resolution (1920x1080) that supports up to 10-point multi-touch input. It offers a seamless touch experience with gestures like tapping, pinching, and swiping. It is compatible with major operating systems such as Windows, macOS, Android, Chrome OS, and Linux. The display works with a stylus\* and can even detect input from hands, enabling precise selection, dragging, and drawing. The Interact 21M features a built-in tempered cover glass, ensuring resistance against surface damage from sharp objects. It also includes touch screen technology, vibrant true colors, and various connectivity options including VGA, USB, HDMI, and DVI ports.

<b>Display :</b>	
<b>Display</b>	21.5" Inch Touch Monitor
<b>Cover glass</b>	Tempered cover glass
<b>Bonding</b>	Air bonding
<b>Backlight</b>	ELED

**Product Specifications**

<b>Display :</b>	
<b>Resolution</b>	1920(H) ×1080(V)
<b>Display Color</b>	1.07Billion colors
<b>Brightness</b>	250 cd/m <sup>2</sup> (OD18)
<b>View Angle</b>	R/L 178 (Min.), U/D 178 (Min.)

<b>Inputs &amp; Outputs :</b>	
<b>VGA Input</b>	1
<b>USB touch</b>	1
<b>HDMI in</b>	1
<b>DVI in/DPin</b>	1
<b>Speakers</b>	2*5W

<b>Touch screen :</b>	
<b>Induction Method</b>	Projected capacitive touch
<b>Touch points</b>	10 points
<b>Response Time</b>	5ms
<b>Writing Style</b>	finger or Pcap touch pen
<b>Tolerance</b>	±2mm, edge area ±5mm
<b>Support Operation System</b>	Windows 10/8/7/XP/ Linux ,Mac / Android / Chrome Book
<b>Wall mount</b>	100*100mm
<b>Input voltage</b>	AC:100~240V 60/50HZ
<b>Accessories</b>	Power cable*1, active pen*1

## Product Specifications

Environmental factors :	
Working Temperture	-10°C~40°C
Working Humidity	10%~80%
storage Temperture	-10°C~45°C

Structrual Info :	
Dimension(L*H*W)	529.5*320.6*63.5mm
N.W	5kg

## Ordering Information

PeopleLink Interact 21M	PSD-TP-21-SP
-------------------------	--------------

### GLOBAL HEADQUARTERS

Q3-A3, 10th Floor, Cyber Towers, Hitech City,  
 Madhapur, Hyderabad - 500 081 (India)  
 Phone: +91 (40) 66903959 / 60  
 Email: vc@peoplelinkvc.com

### INTERNATIONAL CONTACT NUMBERS

USA : +1-321-2163070      Africa : +27-10-5001977      Canada : +1-647-4964195  
 UK : +44-20-35190197      Australia: +61-29-0988367      Middle East : +973-1-6199342

Follow us:  [www.peoplelinkvc.com/social-presence](http://www.peoplelinkvc.com/social-presence)

DISCLAIMER: PeopleLink Unified Communications Pvt. Ltd. All rights reserved. All third party trademarks / products mentioned (if any) are the property of their respective owners. Product Images are for illustration purpose only. Actual product may vary due to product enhancements. All specifications are subject to change without notice; system specifics may vary.

PeopleLink Public Document | PeopleLink Unified Communications Pvt. Ltd. | ISO 9001:2015 & ISO/IEC 27001:2013 Certified Company.